

Evidence-Based Elections

Influencers Salon

Philip B. Stark

10 October 2020

University of California, Berkeley

Many collaborators including (most recently) Andrew Appel, Josh Benaloh, Matt Bernhard, Michelle Blom, Andrew Conway, Rich DeMillo, Steve Evans, Amanda Glazer, Alex Halderman, Mark Lindeman, Kellie Ottoboni, Ron Rivest, Peter Ryan, Jake Spertus, Peter Stuckey, Vanessa Teague, Poorvi Vora

https://www.youtube.com/embed/cruh2p_Wh_4

WASHINGTON POST LIVE > WASHINGTON POST LIVE · October 6, 2016

EAC Commissioner: It would take an army to hack into our voting system

Russian-Speaking Hacker Selling Access to the US Election Assistance Commission

Posted in [Cyber Threat Intelligence](#) by Andrei Barysevich on December 15, 2016



Arguments that US elections can't be hacked:

- Physical security
- Not connected to the Internet
- Tested before election day
- Too decentralized

Arguments that US elections can't be hacked:

- Physical security
 - "sleepovers," unattended equipment in warehouses, school gyms, ...
 - locks use minibar keys
 - bad/no seal protocols, easily defeated seals
 - no routine scrutiny of custody logs, 2-person custody rules, ...
- Not connected to the Internet
- Tested before election day
- Too decentralized

Arguments that US elections can't be hacked:

- Physical security
- Not connected to the Internet
 - remote desktop software
 - wifi, bluetooth, cellular modems, ... <https://tinyurl.com/r8cseun>
 - removable media used to configure equipment & transport results
 - Zip drives
 - USB drives. Stuxnet, anyone?
 - parts from foreign manufacturers, including China; Chinese pop songs in flash
- Tested before election day
- Too decentralized

Russia Targeted Election Systems in All 50 States, Report Finds



A voter casting his ballot in the midterm elections last year in Medina, N.D. Hilary Swift for The New York Times

By David E. Sanger and Catie Edmondson

July 25, 2019



WASHINGTON — The Senate Intelligence Committee concluded Thursday that election systems in all 50 states were targeted by Russia in 2016, an

Remote Access Statement | Election Systems & Software

<https://essvote.com/media-center/press-statements/remote-access-statement/> ⓘ ▼

ES&S voting machines across the nation do not have any form of **remote access** capability. **ES&S** has never **installed** remote connection **software** on any vote ...

Top Voting Machine Vendor Admits It Installed Remote-Access Software on Systems Sold to States

Remote-access software and modems on election equipment 'is the worst decision for security short of leaving ballot boxes on a Moscow street corner.'

By **Kim Zetter**

Jul 17 2018, 5:00am [f Share](#) [t Tweet](#) [s Snap](#)



IMAGE: SHUTTERSTOCK

The nation's top voting machine maker has admitted in a letter to a federal lawmaker that the company installed remote-access software on election-management systems it sold over a period of six years, raising questions about the security of those systems and the integrity of elections that were conducted with them.

In a letter sent to Sen. Ron Wyden (D-OR) in April and obtained recently by Motherboard, Election Systems and Software acknowledged that it had 'provided pcAnywhere remote connection software ... to a small number of customers between 2000 and 2006,' which was installed on the election-management system ES&S sold them.



<https://www.stat.berkeley.edu/~stark/Seminars/AuditPics/MODEMS4.mp4>

Voting Machine Hacking Village

*Report on Cyber Vulnerabilities in
U.S. Election Equipment, Databases, and Infrastructure*



September 2017


Co-authored by:

Matt Blaze, University of Pennsylvania
Jake Braun, University of Chicago & Cambridge Global Advisors
Harri Hursti, Nordic Innovation Labs
Joseph Lorenzo Hall, Center for Democracy & Technology
Margaret MacAlpine, Nordic Innovation Labs
Jeff Moss, DEFCON

The results were sobering. **By the end of the conference, every piece of equipment in the Voting Village was effectively breached in some manner. Participants with little prior knowledge and only limited tools and resources were quite capable of undermining the confidentiality, integrity, and availability of these systems, including:**

- The first voting machine to fall – an AVS WinVote model – was hacked and taken control of remotely in a matter of minutes, using a vulnerability from 2003, meaning that for the entire time this machine was used from 2003-2014 it could be completely controlled remotely, allowing changing votes, observing who voters voted for, and shutting down the system or otherwise incapacitating it.
- That same machine was found to have an unchangeable, universal default password – found with a simple Google search – of “admin” and “abcde.”
- An “electronic poll book”, the Diebold ExpressPoll 5000, used to check in voters at the polls, was found to have been improperly decommissioned with live voter file data still on the system; this data

Moreover, a closer physical examination of the machines found, as expected, multiple cases of foreign-manufactured internal parts (including hardware developed in China), highlighting the **serious possibility of supply chain vulnerabilities**. This discovery means that a hacker's point-of-entry into an entire make or model of voting machine could happen well before that voting machine rolls off the production line. With an ability to infiltrate voting infrastructure at any point in the supply chain process, then the ability to synchronize and inflict large-scale damage becomes a real possibility. Also, as expected, many of these systems had extensive use of binary software for subcomponents that could completely control the behavior of the system and information flow, highlighting the need for greater use of trusted computing elements to limit the effect of malicious software. In other words, a nation-state actor with resources, expertise and motive – like Russia – could exploit these supply chain security flaws to plant malware into the parts of every machine, and indeed could breach vast segments of U.S. election infrastructure remotely, all at once.



DEF CON 27 Voting Village Report!

Posted 9.26.19

The DEF CON Voting Village has released its findings from DEF CON 27!

This is the third year we've hosted the Voting Village, and this year we were able to give attendees access to over 100 machines, all of which are currently certified for use in at least one US jurisdiction. The units tested included direct-recording electronic (DRE) voting machines, electronic poll books, Ballot Marking Devices (BMDs), Optical scanners and Hybrid systems.

The hackers at DEF CON once again compromised every single machine over the 2.5 day event, many of them with trivial attacks that require no sophistication or special knowledge on the part of the attacker. In too many cases





Cisco Umbrella

Protecting your organization's data is more critical than ever.



Defen

APAC SEPTEMBER 23, 2020 / 5:52 PM / UPDATED 2 HOURS AGO

Software vendor Tyler Technologies tells U.S. local government clients it was hacked

By Joseph Menn

3 MIN READ



SAN FRANCISCO (Reuters) - Tyler Technologies [TYL.N](#), whose products are used by U.S. states and counties to share election data, said on Wednesday that an unknown party had hacked its internal systems.

Tyler, whose platforms are used by elections officials to display voting results, among other tasks, confirmed the breach in an email to Reuters after warning clients in an email earlier in the day.





Arguments that US elections can't be hacked:

- Physical security
- Not connected to the Internet
- Tested before election day
 - Dieselgate, anyone?
 - Northampton, PA
 - Los Angeles, CA VSAP
- Too decentralized

Expensive, Glitchy Voting Machines Expose 2020 Hacking Risks

Paper ballots may be safer and cheaper, but local officials swoon at digital equipment.

By [Kartikay Mehrotra](#) and [Margaret Newkirk](#)

November 8, 2019, 12:30 PM PST



A man casts his ballot at polling station in New Jersey in 2016. *Photographer: Eduardo Munoz Alvarez/AFP via Getty Images*

SHARE THIS
ARTICLE

Share
 Tweet
 in Post

The first sign something was wrong with Northampton County, Pennsylvania's state-of-the-art voting system came on Election Day when a voter called the local Democratic Party chairman to say a touchscreen in her precinct was acting "finicky." As she scrolled down the ballot, the tick marks next to candidates she'd selected kept disappearing.

LIVE ON
BLOOMBERG
[Watch Live TV >](#)



esri
THE SCIENCE OF WHERE
WITH ESRI LOCATION TECHNOLOGY
YOU CAN SEE WHAT OTHERS
[SEE HOW](#)

(Bloomberg) -- The first sign something was wrong with Northampton County, Pennsylvania's state-of-the-art voting system came on Election Day when a voter called the local Democratic Party chairman to say a touchscreen in her precinct was acting "finicky." As she scrolled down the ballot, the tick-marks next to candidates she'd selected kept disappearing.

Her experience Nov. 5 was no isolated glitch. Over the course of the day, the new election machinery, bought over the objections of cybersecurity experts, continued to malfunction. Built by Election Systems & Software, the ExpressVote XL was designed to marry touchscreen technology with a paper-trail for post-election audits. Instead, it created such chaos that poll workers had to crack open the machines, remove the ballot records and use scanners summoned from across state lines to conduct a recount that lasted until 5 a.m.

In one case, it turned out a candidate that the XL showed getting just 15 votes had won by about 1,000. Neither Northampton nor ES&S know what went wrong.

In Philadelphia, a three-person election commission discounted cybersecurity warnings and, in February, selected ExpressVote XL from ES&S after a massive lobbying effort. It has a 32-inch touchscreen at a cost of \$29 million, or \$27.59 per voter, not including roughly \$3.8 million over 10 years in fees.

But the decision raised suspicions. State Auditor General Eugene DePasquale noted that the request for proposals appeared to favor equipment of the XL's type and size. An investigation by City Controller Rebecca Rhynhart later found that ES&S had courted the tiny commission for six years, spending almost half a million dollars lobbying it. The company paid a \$2.9 million penalty—the highest in Philadelphia history—for failing to disclose lobbying on bid documents, according to the city controller's office.

Los Angeles County's risky voting experiment

The nation's most populous county is debuting new voting technology that has drawn scrutiny.



By KIM ZETTER

03/03/2020 04:30 AM EST

f t s ...

In November 2018, potential voters wait in long lines to register and vote at the Los Angeles County Registrar's office. | Mark J. Terrill, File/AP Photo

Los Angeles County spent nine years working on a government-designed and -owned voting system with the goal of setting a new standard for security, reliability and transparency.

Instead, millions of county voters on Super Tuesday will cast ballots on a system in which numerous security flaws were found. This has prompted some election integrity experts to call for barring the system from elections until they're fully resolved. The issues include multiple digital and physical vulnerabilities, some of them identified in a [recent assessment](#) by California's secretary of state and others identified by outside computer security



ty-voting...

The judge opens the sale of ScytI and awaits offers for the company until June 22 | Web24 News

The judge opens the sale of ScytI and awaits offers for the company until June 22

June 7, 2020



Arguments that US elections can't be hacked:

- Physical security
- Not connected to the Internet
- Tested before election day
- Too decentralized
 - market concentrated: few vendors/models in use
 - vendors & EAC have been hacked
 - demonstration viruses that propagate across voting equipment
 - “mom & pop” contractors program thousands of machines, no IT security
 - changing presidential race requires changing votes in only a few counties
 - small number of contractors for election reporting
 - many weak links

Security properties of paper

- tangible/accountable
- tamper evident
- human readable
- large alteration/substitution attacks require physical access & many accomplices

Security properties of paper

- tangible/accountable
- tamper evident
- human readable
- large alteration/substitution attacks require physical access & many accomplices

Not all paper is trustworthy: How paper is marked, curated, tabulated, & audited are crucial.

**IN THE UNITED STATES DISTRICT COURT FOR
THE NORTHERN DISTRICT OF GEORGIA
ATLANTA DIVISION**

DONNA CURLING, et al.

Plaintiff,

vs.

BRIAN P. KEMP, et al.

Defendant.

)
)
)
) **CIVIL ACTION FILE NO.: 1:17-cv-
2989-AT**
)
)
)
)
)
)

SEVENTH DECLARATION OF PHILIP B. STARK

PHILIP B. STARK hereby declares as follows:

1. This statement supplements my declarations of September 9, 2018; September 30, 2018; October 22, 2019; December 16, 2019; August 23, 2020; and August 31, 2020. I stand by everything in the previous declarations.
2. In his testimony on 11 September 2020, Defendant's expert Dr. Ben Adida made a

POLITICS JANUARY 8, 2020

A New Voting System Promises Reliable Paper Records. Security Experts Warn It Can't Be Trusted.

A just-released study says over ninety percent of errors introduced by ballot marking devices go undetected.




AJ VICENS

Reporter

[Bio | Follow](#)

FREEDOM TO TINKER

research and expert commentary on digital technologies in public life



Serious design flaw in ESS ExpressVote touchscreen: “permission to cheat”

SEPTEMBER 14, 2018 BY [ANDREW APPEL](#)

Kansas, Delaware, and New Jersey are in the process of purchasing voting machines with a serious design flaw, and they should reconsider while there is still time!

Over the past 15 years, almost all the states have moved away from paperless touchscreen voting systems (DREs) to optical-scan paper ballots. They've done so because if a paperless touchscreen is hacked to give fraudulent results, there's no way to know and no way to correct; but if an optical scanner were hacked to give fraudulent results, the fraud could be detected by a random audit *of the paper ballots that the voters actually marked*, and corrected by a recount of those paper ballots.



Donald Trump's Favorite Voting Machines

Ballot-marking devices in key swing states could give him the perfect excuse to contest the election

by [Art Levine](#) September 23, 2020

POLITICS



Ballot-Marking Devices (BMDs) Cannot Assure the Will of the Voters

Andrew W. Appel[†]
Princeton University

Richard A. DeMillo[†]
Georgia Tech

Philip B. Stark[†]
Univ. of California, Berkeley

February 14, 2020

Abstract

The complexity of U.S. elections usually requires computers to count ballots—but computers can be hacked, so election integrity requires a voting system in which paper ballots can be recounted by hand. However, paper ballots provide no assurance unless they accurately record the votes as expressed by the voters.

Voters can express their intent by indelibly hand-marking ballots, or using computers called ballot-marking device (BMDs). Voters can make mistakes in expressing their intent in either technology, but only BMDs are also subject to hacking, bugs, and misconfiguration of the software that prints the marked ballots. Most voters do not review BMD-printed ballots, and those who do often fail to notice when the printed vote is not what they expressed on the touchscreen. Furthermore, there is no action a voter can take to demonstrate to election officials that a BMD altered their expressed votes, nor is there a corrective action that election officials can take if notified by voters—there is no way to deter, contain, or correct computer hacking in BMDs. These are the essential security flaws of BMDs.

Testing Cannot Tell Whether Ballot-Marking Devices Alter Election Outcomes

Philip B. Stark and Ran Xie

¹ University of California, Berkeley

² University of California, Berkeley

29 July 2020

Abstract. Like all computerized systems, ballot-marking devices (BMDs) can be hacked, misprogrammed, and misconfigured. BMD printout might not reflect what the BMD screen or audio conveyed to the voter. If voters complain that BMDs misbehaved, officials have no way to tell whether BMDs malfunctioned, the voters erred, or the voters are attempting to cast doubt on the election. Several approaches to testing BMDs have been proposed. In pre-election *logic and accuracy (L&A)* tests, trusted agents input known test patterns into the BMD and check whether the printout matches. In *parallel or live* testing, trusted agents use the BMDs on election day, emulating voters. In *passive* testing, trusted agents monitor the rate at which voters “spoil” ballots and request another opportunity to mark a ballot: an anomalously high rate might result from BMD malfunctions. In practice, none of these methods can protect against outcome-altering problems. L&A testing is ineffective against malware in part because BMDs “know” the time and date of the test and the election. Neither L&A nor parallel testing can probe even a small fraction of the combinations of voter preferences, device settings, ballot language, duration of voter interaction, input and output interfaces, and other variables that could comprise enough votes to change outcomes. Under mild assumptions, to develop a model of voter interactions with BMDs accurate enough to ensure that parallel tests could reliably detect changes to 5% of the votes (which could change margins by 10% or more) would require monitoring the behavior of more than a million voters in each jurisdiction in minute detail—but the median turnout by jurisdiction in the U.S. is under 3000 voters, and 2/3 of U.S. jurisdictions have fewer than 43,000 active voters. Moreover, all voter privacy would be lost. Given an accurate model of voter behavior, the number of tests required is still larger than the turnout in a typical U.S. jurisdiction. Even if less testing sufficed, it would require extra BMDs, new infrastructure for creating test interactions and reporting test results, additional polling-place staff, and more training. Under optimistic assumptions, passive testing that has a 99% chance of detecting a 1% change to the margin with a 1% false alarm rate is impossible in jurisdictions with fewer than about 1 million voters, even if the “normal” spoiled ballot rate were known exactly and did not vary from election to election and place to place. Passive testing would also require training and infrastructure to monitor the spoiled ballot rate in real time. And if parallel or passive testing discovers a problem, the only remedy is a new election: there is no way to reconstruct the correct election result from an untrustworthy paper trail. Minimizing the number of votes cast using BMDs is prudent election administration.



Marilyn Marks #Wear A Mask! @MarilynRMarks1 · 12h

The quite credible knowledgeable @TheBradBlog was suspended by Twitter for posting a 100% truthful thread about the mess that is GA's election system. Twitter said it was "false information" about elections! Here it is below. 1/



Brad Friedman ✓ @TheBradBlog · Sep 26

39 days until Election Day and the *entire* state of Georgia does not have a single working database for *any* of the 159 counties where @GaSecofState *forced* EVERY one of them to use a new, untested, 100% unverifiable touchscreen voting system. Just unfuckingbelievable.



Brad Friedman ✓ @TheBradBlog · Sep 26

Holy crap! Read this short thread and, if u can, the short legal filing. Looks to me like state of GA will have to dump their horrible new unverifiable \$100M touchscreens and immediately go to #HandMarkedPaperBallots for all at this point! Wow! @CoalitionGoodGv WARNED years ago! [twitter.com/dufort_jeanne/...](https://twitter.com/dufort_jeanne/)
[Show this thread](#)



4



74



81



3



104



110



Did the reported winner really win?

- Procedure-based vs. evidence-based elections
 - sterile scalpel v. patient's condition

Did the reported winner really win?

- Procedure-based vs. evidence-based elections
 - sterile scalpel v. patient's condition
- *Any* way of counting votes can make mistakes
- *Every* electronic system is vulnerable to bugs, configuration errors, & hacking
- **Did error/bugs/hacking cause losing candidate(s) to appear to win?**

Evidence-Based Elections

P.B. Stark and D.A. Wagner

Abstract—We propose an alternative to current requirements for certifying voting equipment and conducting elections. We argue that elections should be structured to provide convincing affirmative evidence that the reported outcomes actually reflect how people voted. This can be accomplished with a combination of software-independent voting systems, compliance audits, and risk-limiting audits. Together, these yield a resilient canvass framework: a fault-tolerant approach to conducting elections that gives strong evidence that the reported outcome is correct or reports that the evidence is not convincing. We argue that, if evidence-based elections are adopted, certification and testing of voting equipment can be relaxed, saving money and time and reducing barriers to innovation in voting systems—and election integrity will benefit. We conclude that there should be more regulation of the evidence trail and less regulation of equipment, and that compliance audits and risk-limiting audits should be required.

Keywords—elections, software-independent voting system, risk-limiting audit, resilient canvass framework EDICS SEC-INTE, APP-CRIM, APP-INTE, APP-OTHE.

I. INTRODUCTION

IDEALLY, what should an election do? Certainly, an election should find out who won, but we believe it also should produce convincing evidence that it found the real winners—or report that it cannot. This is not automatic; it requires thoughtful design of voting equipment, carefully planned and implemented voting and vote counting processes, and rigorous post-election auditing.

While approximately 75% of US voters currently vote on equipment that produces a voter-verifiable paper record of the vote, about 25% vote on paperless electronic voting machines that do not produce such a record [1].

Because paperless electronic voting machines rely upon complex software and hardware, and because there is no feasible way to ensure that the voting software is free of bugs or that the hardware is executing the proper software, there is no guarantee that electronic voting machines record the voter's votes accurately. And, because paperless voting machines preserve only an electronic record of the vote that cannot be directly observed by voters, there is no way to produce convincing evidence that the electronic record accurately reflects the voters' intent. Internet voting shares the shortcomings of paperless electronic voting machines, and has additional vulnerabilities.

Numerous failures of electronic voting equipment have been documented. Paperless voting machines in Carteret County, North Carolina irretrievably lost 4,400 votes; other machines in Mecklenburg, North Carolina recorded 3,955 more votes than the number of people who voted; in Bernalillo County, New Mexico, machines recorded 2,700 more votes than voters; in Mahoning County, Ohio, some machines reported a negative total vote count; and in Fairfax, Virginia, county officials found that for every hundred or so votes cast for one candidate, the electronic voting machines subtracted one vote for her [2]. In short, when elections are conducted on paperless voting

Risk-Limiting Audits (RLAs, Stark, 2008)

- **If there's a trustworthy paper record of votes, can check whether reported winner really won.**
- If you accept a controlled “risk” of not correcting the reported outcome if it is wrong, typically don't need to look at many ballots if outcome is right.

A risk-limiting audit has a known minimum chance of correcting the reported outcome if the reported outcome is wrong (& doesn't alter correct outcomes).

A risk-limiting audit has a known minimum chance of correcting the reported outcome if the reported outcome is wrong (& doesn't alter correct outcomes).

Risk limit: largest possible chance of *not* correcting reported outcome, if reported outcome is wrong.

A risk-limiting audit has a known minimum chance of correcting the reported outcome if the reported outcome is wrong (& doesn't alter correct outcomes).

Risk limit: largest possible chance of *not* correcting reported outcome, if reported outcome is wrong.

Wrong means accurate handcount of *trustworthy* paper would find different winner(s).

A risk-limiting audit has a known minimum chance of correcting the reported outcome if the reported outcome is wrong (& doesn't alter correct outcomes).

Risk limit: largest possible chance of *not* correcting reported outcome, if reported outcome is wrong.

Wrong means accurate handcount of *trustworthy* paper would find different winner(s).

Establishing whether paper trail is trustworthy involves other processes, generically, *compliance audits*



Home

Elections should be conducted with human-readable paper ballots. Paper ballots form a body of evidence that is not subject to manipulation by faulty software or hardware and that can be used to audit and verify the results of an election. Human-readable paper ballots may be marked by hand or by machine (using a ballot-marking device), and they may be counted by hand or by machine (using an optical scanner), the report says. Voters should have an opportunity to review and confirm their selections before depositing the ballot for tabulation. Voting machines that do not provide the capacity for independent auditing – i.e., machines that do not produce a printout of a voter’s selections that can be verified by the voter and used in audits – should be removed from service as soon as possible.

States should mandate a specific type of audit known as a “risk-limiting” audit prior to the certification of election results. By examining a statistically appropriate random sample of paper ballots, risk-limiting audits can determine with a high level of confidence whether a reported election outcome reflects a correct tabulation

- Endorsed by NASEM, PCEA, ASA, LWV, CC, VV, ...

Evidence-Based Elections: 3 C's

- Voters *CREATE* complete, durable, verified audit trail.

Evidence-Based Elections: 3 C's

- Voters *CREATE* complete, durable, verified audit trail.
- LEO *CARES FOR* the audit trail adequately to ensure it remains complete and accurate.

Evidence-Based Elections: 3 C's

- Voters *CREATE* complete, durable, verified audit trail.
- LEO *CARES FOR* the audit trail adequately to ensure it remains complete and accurate.
- Verifiable audit *CHECKS* reported results against the paper

- 255 state-level pres. races, 1992–2012, 10% risk limit
 - BPA expected to examine **fewer than 308 ballots** for half.

- 255 state-level pres. races, 1992–2012, 10% risk limit
 - BPA expected to examine **fewer than 308 ballots** for half.
- 2016 presidential election, 5% risk limit
 - BPA expected to examine **~700k ballots nationally** (<0.5%)

Risk-Limiting Audits

- ~60 pilot audits in AK, CA, CO, GA, IN, KS, MI, MT, NJ, OH, OR, PA, RI, WA, WY, VA, DK.
- CA counties: Alameda, El Dorado, Humboldt, Inyo, Madera, Marin, Merced, Monterey, Napa, Orange, San Francisco, San Luis Obispo, Santa Clara, Santa Cruz, Stanislaus, Ventura, Yolo.
- Routine statewide in CO since 2017. Statewide audits in AK, KS, WY in 2020.
- Laws in CA, CO, RI, VA, WA

Cite as: 589 U. S. ____ (2020)

1

Per Curiam

NOTICE: This opinion is subject to formal revision before publication in the preliminary print of the United States Reports. Readers are requested to notify the Reporter of Decisions, Supreme Court of the United States, Washington, D. C. 20543, of any typographical or other formal errors, in order that corrections may be made before the preliminary print goes to press.

SUPREME COURT OF THE UNITED STATES

No. 19A1016

REPUBLICAN NATIONAL COMMITTEE, ET AL. v.
DEMOCRATIC NATIONAL COMMITTEE, ET AL.

ON APPLICATION FOR STAY

[April 6, 2020]

PER CURIAM.

The application for stay presented to JUSTICE KAVANAUGH and by him referred to the Court is granted. The District Court's order granting a preliminary injunction is stayed to the extent it requires the State to count absentee ballots postmarked after April 7, 2020.

Wisconsin has decided to proceed with the elections scheduled for Tuesday, April 7. The wisdom of that decision is not the question before the Court. The question before the Court is a narrow, technical question about the absentee ballot process. In this Court, all agree that the deadline for the municipal clerks to receive absentee ballots has been extended from Tuesday, April 7, to Monday, April 13. That extension, which is not challenged in this Court, has afforded Wisconsin voters several extra days in which to mail their absentee ballots. The sole question before the Court is whether absentee ballots now must be mailed and postmarked by election day, Tuesday, April 7, as state law would necessarily require, or instead may be mailed and postmarked after election day, so long as they are received

At least 7 COVID-19 cases tied to in-person voting in Wisconsin

BY ADAM BREWSTER

APRIL 21, 2020 / 4:36 PM / CBS NEWS



- In-person voting involves congregating & touching common objects (esp. BMDs & DREs, but also pens, doorknobs), but S. Korea did great job recently

Coronavirus: South Korea holds parliamentary elections despite COVID-19 pandemic

South Korea's mass testing, tracing and quarantine measures meant authorities believed it was safe for the ballot to go ahead.



Tom Cheshire

Asia correspondent @chesh

🕒 Wednesday 15 April 2020 08:47, UK

COVID-19

CORONAVIRUS

SOUTH KOREA



About 44 million people are eligible to vote

- Online voting does not require contact, but
 - No way to secure online voting
 - Demonstration hacks by Halderman et al.

MIT researchers identify security vulnerabilities in voting app

Mobile voting application could allow hackers to alter individual votes and may pose privacy issues for users.

Abby Abazorius | MIT News Office
February 13, 2020

▼ Press Inquiries

In recent years, there has been a growing interest in using internet and mobile technology to increase access to the voting process. At the same time, computer security experts caution that paper ballots are the only secure means of voting.

Now, MIT researchers are raising another concern: They say they have uncovered security vulnerabilities in a mobile voting application that was used during the 2018 midterm elections in West Virginia. Their security analysis of the application, called Voatz, pinpoints a number of weaknesses, including the opportunity for hackers to alter, stop, or expose how an individual user has voted. Additionally, the researchers found that Voatz's

PRESS MENTIONS

MIT researchers have identified security flaws in a mobile voting application that allowed some overseas and military citizens to vote remotely, reports Lydia Emmanouilidou for PRI's *The World*. "When things are opaque — when you can't verify, when you can't see what the code is doing," says graduate student Michael Specter, "there is no way of vetting that it's doing the right thing."



3/30/2020

03:45 PM



Dark Reading
Staff
Quick Hits

 4 COMMENTS
[COMMENT NOW](#)

[Login](#)



HackerOne Drops Mobile Voting App Vendor Voatz

Bug bounty platform provider cited "Voatz's pattern of interactions with the research community" in its decision to halt the app vendor's vuln disclosure program on HackerOne.

Mobile voting application vendor Voatz has been dismissed from HackerOne's bug bounty program platform, according to a report on CyberScoop.

Voatz — whose mobile voting app used in limited elections in a handful of states, including West Virginia and Colorado — has been [under intense scrutiny](#) over security concerns, and recently published studies by [MIT](#) and [Trail of Bits](#) uncovered significant security weaknesses in the app.

While security experts long have dismissed mobile voting as inherently risky, proponents of mobile-voting have maintained that the apps and process are more secure and private, for example, than the standard practice of sending PDF-based ballots via unencrypted email to military personnel overseas.

Voatz recently had updated its bug bounty policy on HackerOne to say that it could not "guarantee safe harbor" for researchers who discover flaws in its software under the program, CyberScoop said in its report.

April 20, 2020

The Honorable Ellen F. Rosenblum
Office of the Attorney General
Commerce Building
158 12th St. NE
Salem, OR 97301

Dear Attorney General Rosenblum,

We write to you to urge you to initiate an investigation into the voting system vendor Voatz for advancing potential false claims and deceptive marketing practices while promoting its mobile voting application in Oregon that may violate the Unlawful Trade Practices Act, Or. Rev. Stat. § 646.607; fraudulent misrepresentation; or any other violation of state law.¹

Voatz is Boston-based startup company that is developing and aggressively marketing an internet-based voting system that enables voters to cast a ballot from application loaded on to their mobile phones. In 2019, Jackson and Umatilla counties contracted to have Voatz offer its internet voting system to voters eligible under the Uniformed and Overseas Citizen Absentee Voting Act (UOCAVA) for Oregon's 2020 general elections.

Voatz's campaign to promote its voting system in Oregon has included bogus claims of "military grade security,"² public statements asserting that votes cast on its platform could not be deleted or altered,³ and published materials⁴ and presentations⁵ promising that Voatz's system was robustly vetted and secure.⁶ Though many computer security

- VBM does not require congregating . . .
 - Klobuchar & Wyden introduced bill requiring everyone to get VBM ballot . . .
 - Serious logistical and security problems:
 - printing & mailing: 3rd parties need more equipment
 - ballots lost in the mail in either direction
 - USPS might be dead
 - potential for DOS attacks
 - ballot harvesting, coercion, vote-selling
 - authentication, signature verification (if any)
 - weaponized to disenfranchise minority voters, e.g., GA
 - need to inform voters of (non) receipt, notify them of problems & allow time to “cure”

by —
Kate
Grumback,
Associated
PressLeave
a
comment

Share ...



Georgia's rejection of mail ballots over mismatched signatures halted by judge

Politics Oct 24, 2018 3:28 PM EDT

ATLANTA — Georgia election officials must stop rejecting absentee ballots and absentee ballot applications because of a mismatched signature without first giving voters a chance to fix the problem, a federal judge ruled Wednesday.

U.S. District Judge Leigh May ordered the secretary of state's office to instruct county election officials to stop the practice for the November midterm elections. She outlined a procedure to allow voters to resolve alleged signature discrepancies.

May's order comes in response to two lawsuits filed earlier this month allege that election officials are improperly rejecting absentee ballots. The lawsuits said the rejections without first letting voters challenge the determination violated voters' constitutional rights.

Policy Practicum: Every Vote Counts (Law 806Z)

Signature Verification and Mail Ballots: Guaranteeing Access While Preserving Integrity

April 15, 2020

RESEARCH TEAM

Roxana ARJON

BA Public Policy '22

Ali Haley Phillips BLOOMGARDEN

MA Education Policy '20

Benjamin C HATTEM

JD '20 BA '20

Garrett Jens JENSEN

MPP/MA Education '20

Zahavah LEVINE

Distinguished Career Institute Fellow 2019-20

Mike NORTON, Ph.D.

JD '21

Megha Nanaki PARWANI

BA Philosophy/Political Science '21

Emily POSTMAN

JD '21

Ashwin RAMASWAMI

BS Computer Science '21

Grace RYBAK

JD '21

Emily WILSON

BA History '20

North Carolina GOP Operative Faces New Felony Charges That Allege Ballot Fraud

July 30, 2019 · 10:29 PM ET



RICHARD GONZALES

Prosecutors in North Carolina filed [new felony charges](#) against a Republican political operative accused of ballot tampering in a congressional election in 2018.

Leslie McCrae Dowless was charged Tuesday with two counts of felony obstruction of justice, perjury, solicitation to commit perjury, conspiracy to obstruct justice and illegal possession of absentee ballots, according to a statement by Wake County District Attorney Lorrin Freeman.

The charges relate to the tainted 9th congressional district election last year in which Republican Mark Harris led in the unofficial vote tally by a margin of [about 900 votes](#) over Democrat Dan McCready. But the election results were overturned by the state after an investigation into an absentee ballot operation on Harris' behalf suggested that Dowless had improperly collected and possibly tampered with ballots.



GOP operative Leslie McCrae Dowless was arrested in February 2017 and charged with illegal ballot handling and obstruction of justice. New charges were filed Tuesday.

Wake City-County Bureau of Identification via AP



n p r

CORO
VIRUS
DAILY

Stay s

Stay h

Stay ir

LISTEN

White House rejects bailout for U.S. Postal Service battered by coronavirus

The pandemic has pushed USPS to the brink, but Trump and Mnuchin shot down emergency aid



A U.S. Postal Service carrier wears a mask and gloves while making deliveries in Washington, D.C., on April 1. (Erik S Lesser/EPA-EFE/Shutterstock)

By **Jacob Bogage**

April 11, 2020 at 8:41 a.m. PDT

Through rain, sleet, hail, and even a pandemic, mail carriers serve every address in the United States, but the [coronavirus](#) crisis is shaking the foundation of the U.S. Postal Service in new and dire ways.



PEARLF

Recommendations for November 2020

- expand vote by mail and early voting
- minimize use of DREs & BMDs (not secure; vector for coronavirus)
- secure/monitored kiosks to pick up blank ballots (BOD?) & cast voted ballots
- ballot tracking; provide adequate notice & opportunity to “cure” problems
- increase transparency: public video monitoring, etc.
- rigorous ballot accounting & compliance audits including eligibility
- risk-limiting audits, at least for statewide contests
- beware sham RLAs of insecure systems

